

APRICOT

Recommendations for proper use of L. Gobbi s.r.l.'s products on crops

See also the general sheet **FRUIT GROWING**

PERIOD	PRODUCT	DOSE	Application	NOTA
From setting to ripening	Alga Special +Sprühdünger type 5 (or Sprühdünger type 30)	2 l/ha 750 g/ha (750 g/ha)	Foliar application	Every 15 days
Pre-flowering	Alga Special +Boro LG 25 +Sprühdünger type 26	2 l/ha 2,5 l/ha 750 g/ha	Foliar application	Prepares the plant for an optimized setting
Beginning of flowering	Alga Special +Boro LG 25 +Sprühdünger type 26	2 l/ha 2.5 l/ha 750 g/ha	Foliar application	Improves setting
At petal fall	Alga Special +Boro LG 25 +Sprühdünger type 26	2 l/ha 2.5 l/ha 750 g/ha	Foliar application	Improves setting
15 days before treatment with Maxim	Alga Ca	2.5-3 l/ha	Foliar application	Improves pulp consistency
Immediately before or upon start of pit lignification stage	Maxim	12-15 tablets/ha	Foliar application	Increase in size of fruits
2 days before or after the treatment with Maxim	Alga Ca	3 l/ha	Foliar application	Improves pulp consistency
After 15 days	Alga Ca	3 l/ha	Foliar application	Improves pulp consistency

Alternative to blend

Alga Special	2 l/ha
+ Boro LG 25	2.5 l/ha

Can be used

Alga Special	2 l/ha
+ Boro 10 LG	1 l/ha

Instead of Alga Special, the new formulation **SEAWEED MIX** can be used

or
or

Alga Mix BMg	3 l/ha
---------------------	---------------

Alga Special	2 l/ha
+ Boron 21 PG	1 kg/ha



I- 16013 Campo Ligure (GE) Via Vallecaldà, 33
Tel.: +39 010 920 395 Fax : +39 010 921 400
e-mail: info@lgobbi.it http://www.lgobbi.it

SPECIALITÀ PER L'AGRICOLTURA

l. gobbi s.r.l.

Conc. E. Gerlach GmbH - Germania

