

# AUBERGINE

SEE THE GENERAL SHEET " HORTICULTURE "

PERIOD	PRODUCT	DOSE	Application	NOTES
TRANSPLANT TO BED	<b>Alga Special</b>	<b>2 litres/1000 m<sup>2</sup></b>	Fertigation	Promotes a rapid recovery and helps seedlings live through transplant shock.
	<b>Stimolante 66f + Gerfos-K</b>	<b>20 ml/hl 50 ml/hl</b>	Foliar application	Repeat every 15-20 days
IN THE FOLLOWING PERIOD UP UNTIL BEGINNING OF FLOWERING	<b>Stimolante 66f + Alga Special + Sprühdünger type 27</b>	<b>20 ml/hl 100 ml/hl 50 g/hl</b>	Foliar application	Promotes quick and balanced growth of plants. Apply weekly.
FLOWERING	<b>36C Type B</b>	<b>2.5 ml/l</b> or	For localized application on flowers	Promotes setting.
	<b>36C Type A</b> (or Adrop Polvere or Gerauxin)	<b>100 ml/hl 50 g/hl 30-50 ml/hl</b>	Apply to all parts of the plants	Promotes setting.
	<b>Stimolante 66f + Alga Special + Sprühdünger type 26 + Boro LG 25</b>	<b>20 ml/hl 100 ml/hl 50 g/hl 400 ml/hl</b>	Foliar application	
	<b>Fluidünger 70 + Gerhumin</b>	<b>10 l/1000m<sup>2</sup> 1 l/1000 m<sup>2</sup></b>	Radical application	
After 7-10 days	<b>Sprühdünger type 26 + Boro LG 25 + Gerhumin</b>	<b>2 kg/1000 m<sup>2</sup> 5 l/1000 m<sup>2</sup> 1 l/1000 m<sup>2</sup></b>	Radical application	
SETTING	<b>36C Type A</b> (or Adrop Polvere or Gerauxin)	<b>100 ml/hl 50 g/hl 30-50 ml/hl</b>	Foliar application	Promotes fruit development and a smoother and more balanced ripening,
After 3-4 days	<b>Sprühdünger type 5 + Gerhumin + TRB 124</b>	<b>2 kg/1000 m<sup>2</sup> 1 l/1000 m<sup>2</sup> 6 kg/1000 m<sup>2</sup></b>	Radical application	Prevents apical dieback and decay of leaves and fruits".
After 7-10 days	<b>Sprühdünger type 5 + Gerhumin</b>	<b>2 kg/1000 m<sup>2</sup> 1 l/1000 m<sup>2</sup></b>		



I- 16013 Campo Ligure (GE) Via Vallecaldà, 33  
Tel.: +39 010 920 395 Fax : +39 010 921 400  
e-mail: info@lgobbi.it <http://www.lgobbi.it>

SPECIALITÀ PER L'AGRICOLTURA

**l. gobbi** s.r.l.

Conc. E. Gerlach GmbH - Germania

