

PLUM

See also the general sheet FRUIT GROWING

PERIOD	PRODUCT	DOSE	Application	NOTES
Pre-flowering	Alga Special + Boro LG 25	2 l/ha 2.5 l/ha	Foliar application	improves setting
Beginning of flowering	Alga Special + Boro LG 25	2 l/ha 2.5 l/ha	Foliar application	improves setting
On petal fall	Alga Special + Boro LG 25	2 l/ha 2.5 l/ha	Foliar application	improves setting
After setting	Alga Special + Sprühdünger type 26	2 l/ha 750 g/ha	Foliar application	Apply at least three times at 7-8 days' intervals.
Until veraison	Alga Special + Sprühdünger type 5	2 l/ha 750 g/ha	Foliar application	Treatments should continue 8-10 days apart, so improve colour, preservability, consistency, fruit organoleptic characteristics as well as dry material content
40 days prior to harvest	Alga Ca	2 l/ha		1-2 treatments to minimize fruit russetting and cracking.

Alternative to mixture

Alga Special 2 l/ha
+ Boro LG 25 2.5 l/ha

Can be used

Alga Special 2 l/ha
+ Boro 10 LG 1 l/ha

or

Alga Mix BMg 3 l/ha



I- 16013 Campo Ligure (GE) Via Vallecaldà, 33
Tel.: +39 010 920 395 Fax : +39 010 921 400
e-mail: info@lgobbi.it <http://www.lgobbi.it>

SPECIALITÀ PER L'AGRICOLTURA

l. gobbi s.r.l.

Conc. E. Gerlach GmbH - Germania

