

# STRAWBERRY

SEE THE GENERAL SHEET " HORTICULTURE "

PERIOD	PRODUCT	DOSE	Application	NOTES
PRIOR TO TRANSPLANT	<b>Stimolante 66f</b>	<b>20 ml/hl</b>	Root dipping	Prevents transplant shock Dip seedlings into water for 12 hours. Also mixed with treatments for the prevention of root rotting. For cold stored seedlings, it is recommended to take them out of the store room at least 1-2 days before treatment.
	<b>Alga Special</b>	<b>2 litres/1000 m<sup>2</sup></b>	Fertirrigation	
AFTER TRANSPLANTING	<b>Stimolante 66f</b> <b>+ Gerfos-K</b>	<b>20 ml/hl</b> <b>50 ml/hl</b>	Foliar application	Repeat every 15-20 days.
	<b>Alga Special</b>	<b>150 ml/hl</b>	Radical application	Promotes immediate and uniform plant growth and creates the ideal conditions for a profuse flowering.
ON VEGETATIVE RECOVERY	<b>Stimolante 66f</b> <b>+ Alga Special</b> <b>+ Sprühdünger type 26</b>	<b>20 ml/hl</b> <b>100 ml/hl</b> <b>50 g/hl</b>	Foliar application	
	<b>Anticlor Fe WP6 G</b> <b>+ Alga Special</b>	<b>100 g/hl</b> <b>150 ml/hl</b>	Radical application	For a couple of times
APPEARANCE OF BUDS (green buds)	<b>Adrop Polvere</b> (or Gerauxin) <b>+ Alga Special</b> <b>+ Sprühdünger type 26</b>	<b>50 g/hl</b> 30-50 ml/hl <b>100 ml/hl</b> <b>50 g/hl</b>	Foliar application	Promotes setting
POST-FLOWERING (beginning of petal fall)	<b>36C Type A</b> (or Adrop Polvere or Gerauxin) <b>+ Alga Special</b>	<b>100 ml/hl</b> 50 g/hl 30-50 ml/hl <b>100 ml/hl</b>	Foliar application	Promotes setting
AFTER SETTING	<b>Stimolante 66f</b> <b>+ Alga Special</b> <b>+ Sprühdünger type 5</b>	<b>20 ml/hl</b> <b>150 ml/hl</b> <b>50 g/hl</b>	Foliar application	Promotes a quick and uniform growth rate of the small fruit, positively influencing its organoleptic characteristics. Repeat every 8-10 days.

Deficiencies: Calcium

PERIOD	Alternative 1		Alternative 2		Alternative 3		
During fruit growth. (Early growth stages)	<b>Alga Special</b>	500 ml/hl	<b>Alga Special</b>	500 ml/hl	<b>Alga Ca</b>	2 l/hl	Radical application
	<b>TRB 124</b>	1.5 kg/hl or	<b>+ Calcium 44 LG</b>	300-400 g/hl or			
During fruit growth. (Close to ripening)	<b>Alga Special</b>	150 ml/hl	<b>Alga Special</b>	150 ml/hl	<b>Alga Ca</b>	500 ml/hl	Foliar application
	<b>TRB 124</b>	400 g/hl or	<b>+ Calcium 44 LG</b>	80-100 g/hl or			



I- 16013 Campo Ligure (GE) Via Vallecaldà, 33  
Tel.: +39 010 920 395 Fax : +39 010 921 400  
e-mail: info@lgobbi.it http://www.lgobbi.it

SPECIALITÀ PER L'AGRICOLTURA

**l. gobbi** s. r. l.

Conc. E. Gerlach GmbH - Germania

