

# CABBAGE

## and Brassicaceae

SEE THE GENERAL SHEET " HORTICULTURE "

PERIOD	PRODUCT	DOSE	Application	NOTES
IN PRE-TRANSPLANTING	<b>Alga Special</b> <b>+ Sprühdünger type 26</b> <b>+ Molybdenum 10 LG</b> <b>+ Boro 10 LG</b>	<b>2 l</b> <b>750 g</b> <b>60 ml</b> <b>1 kg</b>	Radical application to plateaux every 1000 m <sup>2</sup>	For a rapid recovery of vegetative growth in seedlings
SOON AFTER TRANSPLANTING	<b>Alga Special</b> <b>+ Sprühdünger type 26</b> <b>+ Zinc 10 LG</b>	<b>150 ml/hl</b> <b>50 g/hl</b> <b>100 g/hl</b>	Foliar application	
AFTER ONE WEEK	<b>Alga Special</b> <b>+ Sprühdünger type 27</b>	<b>150 ml/hl</b> <b>50 g/hl</b>	Foliar application	Repeat weekly as long as necessary



I- 16013 Campo Ligure (GE) Via Vallecaldà, 33  
Tel.: +39 010 920 395 Fax : +39 010 921 400  
e-mail: info@lgobbi.it <http://www.lgobbi.it>

SPECIALITÀ PER L'AGRICOLTURA

**l. gobbi** s.r.l.

Conc. E. Gerlach GmbH - Germania

