

# PLUM

See also the general sheet FRUIT GROWING

PERIOD	PRODUCT	DOSE	Application	NOTES
Pre-flowering	Alga Special + Boro LG 25	2 l/ha 2.5 l/ha	Foliar application	improves setting
Beginning of flowering	Alga Special + Boro LG 25	2 l/ha 2.5 l/ha	Foliar application	improves setting
On petal fall	Alga Special + Boro LG 25	2 l/ha 2.5 l/ha	Foliar application	improves setting
After setting	Alga Special + Sprühdünger type 26	2 l/ha 750 g/ha	Foliar application	Apply at least three times at 7-8 days' intervals.
Until veraison	Alga Special + Sprühdünger type 5	2 l/ha 750 g/ha	Foliar application	Treatments should continue 8-10 days apart, so improve colour, preservability, consistency, fruit organoleptic characteristics as well as dry material content
40 days prior to harvest	Alga Ca	2 l/ha		1-2 treatments to minimize fruit russeting and cracking.

Alternative to mixture

**Alga Special 2 l/ha**  
**+ Boro LG 25 2.5 l/ha**

Can be used

**Alga Special 2 l/ha**  
**+ Boro 10 LG 1 l/ha**

or

**Alga Mix BMg 3 l/ha**



I- 16013 Campo Ligure (GE) Via Vallecaldà, 33  
Tel.: +39 010 920 395 Fax : +39 010 921 400  
e-mail: info@lgobbi.it <http://www.lgobbi.it>

SPECIALITÀ PER L'AGRICOLTURA

**l. gobbi** s.r.l.

Conc. E. Gerlach GmbH - Germania

