

WHEAT

PRIOR TO SOWING	STIMOLANTE 66f	20 ml/hl	Dip the seeds into this solution for 18-24 hours, then shake excess solution and sow within a very short time.
EMERGENCE <i>(foliar application)</i>	ALGA SPECIAL + SPRÜHDÜNGER 26	2 l/ha 1.5 kg/ha	Stimulates a rapid growth rate and strengthens the seedlings.
FROM EMERGENCE TO TILLERING <i>(foliar application)</i>	ALGA SPECIAL + SPRÜHDÜNGER 27	2 l/ha 1.5 kg/ha	Stimulates a rapid growth rate of the seedling.
VEGETATIVE RECOVERY <i>(foliar application)</i>	ALGA SPECIAL + SPRÜHDÜNGER 26 + EG 118	2 l/ha 1.5 kg/ha 1 kg/ha	Strengthens the seedlings and prevents lack of trace elements
BEGINNING OF GERMINATION <i>(foliar application)</i>	ALGA SPECIAL + SPRÜHDÜNGER 27 + EG 118	2 l/ha 1.5 kg/ha 1 kg/ha	Continue treatments, at 15 day intervals, without adding EG 118.
BOOT STAGE <i>(foliar application)</i>	ALGA SPECIAL + SPRÜHDÜNGER 27 + BORO LG 25	2 l/ha 1.5 kg/ha 1 kg/ha	Prepares the plant for optimal flowering and abundant setting.
BEGINNING OF EARING <i>(foliar application)</i>	ALGA SPECIAL + SPRÜHDÜNGER 5	2 l/ha 1.5 kg/ha	Increases quality of caryopses and the dry material contents.
Treat periodically with Alga Special alone (dose: 2 l/ha) until milky stage.			
All treatments can be applied mixed with pesticide products.			
Mixtures with Boro LG 25 require that products give a neutral or acid reaction; in all cases, it is recommended to test miscibility using small quantities of product. If the solution does not form precipitates, it can be used. However, this mixture needs to be used immediately after preparation.			



I- 16013 Campo Ligure (GE) Via Vallecaldà, 33
Tel.: +39 010 920 395 Fax : +39 010 921 400
e-mail: info@lgobbi.it <http://www.lgobbi.it>

SPECIALITÀ PER L'AGRICOLTURA

l. gobbi s.r.l.

Conc. E. Gerlach GmbH - Germania

