

NURSERY in HORTICULTURE

SEE THE GENERAL SHEET "HORTICULTURE"

1. SLOW GROWING SEEDLINGS (i.e.: pepper, celery).

The following applications are based on the assumption that the substrate is able to provide sufficient nutritional concentrations and an optimum pH. In case of need, add 3 kg of **Dünger 20** per each m³ of substrate.

In all cases, 1 L of Gerfos-K should always be added.

PERIOD	PRODUCT	DOSE	Application	NOTES
1st STAGE: FROM GERMINATION TO THE FIRST TRUE LEAF	Seaweed Mix + Dünger 20 + TRB 124	400 ml/1000 m² 2 kg/1000 m² 1 kg/1000 m²	Radical application	Twice a week. For daily treatments, proportionally reduce the dose.
	Stimolante 66f + Gerfos-K	20 ml/hl 50 ml/hl	Foliar application	Apply weekly
2nd STAGE: FROM THE FIRST TRUE LEAF TO APPROX. 15 DAYS PRIOR TO TRANSPLANT	Dünger 20 + Gerhumin	3 kg/1000 m² 500 ml/1000 m²	Radical application	Twice a week. For daily treatments, proportionally reduce the dose.
	Stimolante 66f + Gerfos-K	20 ml/hl 50 ml/hl	Foliar application	Apply weekly
3rd STAGE: FROM APPROX. 15 DAYS PRIOR TO TRANSPLANT	Dünger 10 (or Dünger 60) + Gerhumin	3 kg/1000 m² (3 kg/1000 m ²) 500 ml/1000 m²	Radical application	Twice a week. For daily treatments, proportionally reduce the dose.
	Stimolante 66f + Gerfos-K	20 ml/hl 50 ml/hl	Foliar application	Apply weekly

2. FAST GROWING SEEDLINGS (i.e.: tomato, lettuce, etc.).

The following applications are based on the assumption that the substrate is able to provide sufficient nutritional concentrations and an optimum pH.

In case of need, add **Dünger 50** to the 3 kg dose per m³ of substrate.

In all cases, 1 l of Gerfos-K should always be added.

PERIOD	PRODUCT	DOSE	Application	NOTES
1st STAGE: FROM GERMINATION TO THE FIRST TRUE LEAF	Seaweed Mix + Dünger 20 + TRB 124	400 ml/1000 m² 1 kg/1000 m² 1 kg/1000 m²	Fertigation	Twice a week. For daily treatments, proportionally reduce the dose.
	Stimolante 66f + Gerfos-K	20 ml/hl 50 ml/hl	Foliar application	Apply weekly
2nd STAGE: FROM THE FIRST TRUE LEAF TO APPROX. 15 DAYS PRIOR TO TRANSPLANT	Dünger 50 + Gerhumin	3 kg/1000 m² 500 ml/1000 m²	Radical application	Twice a week. For daily treatments, proportionally reduce the dose.
	Stimolante 66f + Gerfos-K	20 ml/hl 50 ml/hl	Foliar application	Apply weekly
3rd STAGE: FROM APPROX. 15 DAYS PRIOR TO TRANSPLANT	Dünger 30 + Gerhumin	3 kg/1000 m² 500 ml/1000 m²	Radical application	Twice a week. For daily treatments, proportionally reduce the dose.
	Stimolante 66f + Gerfos-K	20 ml/hl 50 ml/hl	Foliar application	Apply weekly

Use plant protection products with caution. Before use always read the label and the product information.
It draws attention to the phrases and hazard symbols shown on the label.



l.gobbi srl
unipersonale

Via Vallecaldà, 33 - 16013 Campo Ligure (GE) - ITALY
Tel.: +39 010 920 395 - Fax: +39 010 921 400
www.lgobbi.it
Conc. E. Gerlach GmbH - Germany