



SUGAR BEET

FOR SUGAR CONTENT INCREASE AND OPTIMAL ROOTING PERFORMANCE

VEGETATIVE STAGE	PRODUCT	DOSES	INDICATIONS
From 4 leaves to rosette stage 	Stimolante 66f	0.3 l/ha	Apply at least twice, mixed with post-emergency herbicide treatments
Taproot development 	Stimolante 66f + Sprühdünger 5	0.3 l/ha 0.75 kg/ha	Apply once or twice after 10-15 days, at the same time as any cercospora fungicide treatment

CHECK OF MAIN DEFICIENCY AND DISEASE

Apply upon appearance of the first symptoms with at least 2 treatments at 10 – 15 days interval

DEFICIENCY - DISEASE	PRODUCT	DOSES	INDICATIONS
BORON	Boro 10 LG	1.5 - 2 kg/ha	As this deficiency is quite common, we recommend that you carry out systemic applications, associated to the previous Program
Manganese	Mangan 32 PG	1 kg/ha	Use this formula if more than one nutrient is deficient and/or if deficiency cannot be related to a single element. (*) After 6-8 leaves, Sprühdünger 5 is to preferd Leaf yellowing similar to nitrogen deficiency. (*) After 6-8 leaves, Sprühdünger type 5 is to prefer
Magnesium	Magnesium 16 PG	5 - 8 Kg /ha	
Multiple deficiencies	EG 118	3 – 4 kg/ha	
Nitrogen	Sprühdünger 27 (*)	750 g/ha	
Poorly structured soil (timely tillage, stagnant water, etc.)	Stimolante 66f +Sprühdünger 27 (*)	300 ml/ha 750 g/ha	

In deficiency treatment, a mixture with ALGA SPECIAL is recommended (2-3 l/ha), if you are not already using Stimolante 66f.



l.gobbi srl

Via Vallecaldà, 33 - 16013 Campo Ligure (GE) - ITALY

Tel.: +39 010 920 395 - Fax: +39 010 921 400

E-mail: info@lgobbi.it - <http://www.lgobbi.it>

Conc. E. Gerlach GmbH - Germany

SUGAR BEET

VEGETATIVE STAGE	INSTRUCTIONS FOR USE	SEED CROPS PRODUCT	DOSES	PURPOSE
Pre-transplanting	Dip the root system into the solution or apply to the whole plant using a sprayer	Stimolante 66f	20 ml/hl	Improves post-transplanting performance
During the whole growth stage	Apply 3 - 4 times ever 15 – 20 days	Stimolante 66f + Dünger 20	20 ml/hl 150 g/hl	Promote a vigorous vegetative development and a quick transition to the reproductive phase

Use plant protection products with caution. Before use always read the label and the product information. It draws attention to the phrases and hazard symbols shown on the label.



l.gobbi srl

Via Vallecaldà, 33 - 16013 Campo Ligure (GE) - ITALY

Tel.: +39 010 920 395 - Fax: +39 010 921 400

E-mail: info@lgobbi.it - <http://www.lgobbi.it>

Conc. E. Gerlach GmbH - Germany