

Wine

GRAPEVINE



Nutritional advises

The L. Gobbi s.r.l products best advises

TIMING	PRODUCTS	DOSE	VIA	NOTES
Early springtime	LG 81	4-6 L/ha	 Fertigation	It improves biological activity of soil and roots. Increases calcium absorption and uptake.
Every month (or every 15 days at half dosage)	LG 81	1 L/ha	 In fertigation along the row	
Or at Midsummer		4-6 L/ha	 All cultivated soil surface	
From shoots 8 – 10 cm long to separated Bunches ...	Stimolante 66f + Sprühdünger 27	300 ml/ha 750 g/ha	 Foliar	To improve vegetative development and to increase foliar surface. Apply every 10-15 days also in mixture with normal pesticide treatments.
Between flower buds separated and beginning of flowering	Sprühdünger 27 + Alga Mix BMg	750 g/ha 3 L/ha	 Foliar	To improve the capacity to germinate of the pollen and to arrange the plant for a good fruit set. Two treatments.
Suckers control	Spollonante G	1 L/10 liters of water	 Foliar	To eliminate root-suckers. Intervene when root-suckers have reached an average height of about 10-20 cm.
Beginning of flowering.	Sprühdünger 26 Alga Mix BMg	750 g/ha 3 L/ha	 Foliar	To improve fruit set. Two treatments.
Flowerhoods fall				
Begin of bunches closure	Alga Ca	3 L/ha	 Foliar	To optimize the grapes swelling, to increase sugar contents and to increase the plant's resistance to adverse condition. Apply every 10-15 days.
Bunches closure	Sprühdünger 30	750 g/ha	 Foliar	To increase sugar contents.
Beginning of veraison	Zn-Golden Biotrissol + Sprühdünger 30	1 L/ha 750 g/ha	 Foliar	To improve lignifications of vine branch for early harvesting and for a better colouring of the berries.
25% veraison	Ca-Mg Biotrissol		 Foliar	Prevention of Rachis stalk disorder.
15-20 days before the expected date of the leaves falling.	Blattab	24 kg/ha (=1,6 kg/hl)	 Foliar	To induce a regular leaves falling, sugar and nutrients transferring in the wood. It anticipates and increases the productivity in the following season! The treatment induces a better resistance to the frost. Apply 15 hl/ha of water.
		once		
		Twice. 7-8 days interval		
Autumn	LG 81	4-6 L/ha	 Fertigation	It improves the soil and roots biological activity. It even improves the nutrients uptake and metabolism.

Use plant protection products with caution. Before use always read the label and the product information. Pay attention to the hazard sentences and the symbols shown on the label.



l.gobbi srl

Via Vallecaldà, 33 - 16013 Campo Ligure (GE) - ITALY
 Tel.: +39 010 920 395 - Fax: +39 010 921 400
 E-mail: info@lgobbi.it - <http://www.lgobbi.it>
 Conc. E. Gerlach GmbH - Germany